

**Restricted Rights Legend**

The information contained in this document is confidential and subject to change without notice. No part of this document may be reproduced or disclosed to others without the prior permission of eG Innovations Inc. eG Innovations Inc. makes no warranty of any kind with regard to the software and documentation, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose.

**Trademarks**

Microsoft Windows, Windows 2008, Windows 7, Windows 8, Windows 10, Windows 2012 and Windows 2016 are either registered trademarks or trademarks of Microsoft Corporation in United States and/or other countries.

The names of actual companies and products mentioned herein may be the trademarks of their respective owners.

**Copyright**

©2016 eG Innovations Inc. All rights reserved.

# Table of contents

---

<b>INTRODUCTION</b> .....	<b>1</b>
<b>ADMINISTERING THE EG MANAGER TO MONITOR THE MICROSOFT SQL CLUSTER SERVER</b> .....	<b>2</b>
<b>MONITORING MICROSOFT SQL CLUSTER SERVER</b> .....	<b>4</b>
3.1 The Application Processes Layer .....	4
3.1.1 SQL Cluster Process Test .....	5
3.2 The Microsoft SQL Server Layer .....	8
3.3 The Microsoft SQL Memory Structures Layer .....	9
3.4 The Microsoft SQL Databases Layer .....	10
3.5 The Microsoft SQL Service Layer .....	11
3.5.1 SQL Cluster Connection Test .....	12
3.5.2 SQL Cluster Status Test .....	15
<b>CONCLUSION</b> .....	<b>20</b>

## Table of Figures

---

Figure 2.1: Adding a Microsoft SQL Cluster Server .....	2
Figure 2.2: List of Unconfigured tests to be configured for the Microsoft SQL Cluster Server .....	2
Figure 3.1: The layer model of a SQL cluster service .....	4
Figure 3.2: The tests mapped to the Application Processes layer .....	4
Figure 3.3: The Microsoft SQL Server layer .....	9
Figure 3.4: The tests mapped to the Microsoft SQL Memory Structures layer .....	10
Figure 3.5: The tests mapped to the Microsoft SQL Databases layer .....	11
Figure 3.6: The tests associated with the Microsoft SQL Service layer .....	12
Figure 3.7: The detailed diagnosis of the Is cluster running? measure of the SQL Cluster Status test .....	19

# Introduction

When two or more MS SQL servers exist in an environment, they can be grouped together to form a SQL cluster. Requests to a cluster are routed through a virtual cluster server that is assigned a cluster IP address and TCP port. Requests to this server can be handled by any of the individual nodes in the cluster at any given point in time, depending on which node is active at that time.

Since clusters are deployed in environments where 24\*7 availability and responsiveness are critical, it is imperative that the performance of the clusters is monitored all the time. The eG Enterprise aids administrators in this regard!

# Administering the eG Manager to monitor the Microsoft SQL Cluster Server

1. Log into the eG administrative interface.
2. eG Enterprise cannot automatically discover Microsoft SQL Cluster Server. You need to manually add the server using the **COMPONENTS** page (see Figure 2.1) that appears when the Infrastructure -> Components -> Add/Modify menu sequence is followed. Remember that components manually added are managed automatically.

Figure 2.1: Adding a Microsoft SQL Cluster Server

3. Specify the **Host IP** and the **Nick name** of the Microsoft SQL Cluster Server in Figure 2.1. Then click the **Add** button to register the changes.
4. When you attempt to sign out, a list of unconfigured tests will appear as shown in Figure 2.2.

Figure 2.2: List of Unconfigured tests to be configured for the Microsoft SQL Cluster Server

5. Click on the **SQL Cluster Connection** test to configure it. To know how to configure this test, refer to Section 3.5.1.
6. Once all the tests are configured, signout of the eG administrative interface.

# Monitoring Microsoft SQL Cluster Server

To monitor an MS SQL server cluster, the eG agent (internal/remote) connects to the virtual cluster IP address and port, periodically checks cluster availability, responsiveness and uptime, and also promptly alerts on a fail-over when it occurs. If the cluster service is up and running, the same agent also collects from the cluster, all performance statistics that are typically collected from a stand-alone SQL server – this includes, metrics on the size and usage of databases, the health of the database engine, locking and blocking activity, queries/transactions to the database, SQL errors and wait events, and many more.

Figure 3.1 depicts the *Microsoft SQL Cluster Server* monitoring model.




Figure 3.1: The layer model of a SQL cluster service

This section will be discussing the top 3 layers of Figure 3.1 only, as the **Network** layer has already been extensively discussed in the *Monitoring Unix and Windows Servers* document.

### 3.1 The Application Processes Layer

The tests mapped to this layer report on the availability of the cluster server port and the cluster process.




Figure 3.2: The tests mapped to the Application Processes layer

### 3.1.1 SQL Cluster Process Test

This test reports the current state and resource usage of the cluster process, and promptly alerts administrators if the cluster goes down or is up and consuming more resources than it should.

**Target of the test :** A Microsoft SQL Cluster

**Agent deploying the test :** An internal/remote agent

**Outputs of the test :** One set of results for the cluster being monitored

#### Configurable parameters for the test

1. **TEST PERIOD** – How often should the test be executed
2. **HOST** – The IP address of the SQL cluster
3. **PORT** – The port on which the cluster is listening.
4. **DETAILED DIAGNOSIS** – To make diagnosis more efficient and accurate, the eG Enterprise suite embeds an optional detailed diagnostic capability. With this capability, the eG agents can be configured to run detailed, more elaborate tests as and when specific problems are detected. To enable the detailed diagnosis capability of this test for a particular server, choose the **On** option. To disable the capability, click on the **Off** option.

The option to selectively enable/disable the detailed diagnosis capability will be available only if the following conditions are fulfilled:

- The eG manager license should allow the detailed diagnosis capability
- Both the normal and abnormal frequencies configured for the detailed diagnosis measures should not be 0.

#### Measurements made by the test

Measurement	Description	Measurement Unit	Interpretation
<b>Service availability:</b>	Indicates the availability of the cluster service.	Percent	The availability is 100% when the cluster process is running. This measure will report the value 0, if the cluster process is not running.
<b>Processes running:</b>	Indicates the number of instances of the cluster process that are currently running.	Number	The value 0 for this measure is indicative of the non-availability of the cluster service. The detailed diagnosis of this measure

Measurement	Description	Measurement Unit	Interpretation
			reveals the process ID of each running instance of the cluster process and the resource and I/O usage of each instance, so that you can quickly identify which instance is resource-intensive.
<b>CPU utilization:</b>	Indicates the percentage of CPU resources used by the cluster process.	Percent	A value close to 100% indicates that the cluster process is hogging the CPU resources of the 'active' node in the cluster.
<b>Handle count:</b>	Indicates the number of handles opened by the process.	Number	An increasing trend in this measure is indicative of a memory leak in the process.
<b>Number of threads:</b>	Indicates the number of threads that are used by the process.	Number	
<b>Virtual memory used:</b>	Indicates the amount of virtual memory that is being used by the process.	MB	
<b>Private memory used:</b>	Indicates the amount of memory that this process has been allotted, that cannot be shared with other processes.	MB	
<b>Pool paged:</b>	Indicates the amount of memory currently in the pool paged area of system memory.	MB	
<b>Pool non paged:</b>	Indicates the amount of memory currently in the pool non-paged area of system memory.	MB	

Measurement	Description	Measurement Unit	Interpretation
<b>I/O data rate:</b>	Indicates the rate at which processes are reading and writing bytes in I/O operations.	Kbytes/Sec	This value counts all I/O activity generated by each process and includes file, network and device I/Os.
<b>I/O data operations:</b>	Indicates the rate at which the process is issuing read and write data to file, network and device I/O operations.	Operations/Sec	
<b>I/O read data rate:</b>	Indicates the rate at which the process is reading data from file, network and device I/O operations.	Kbytes/Sec	
<b>I/O write data rate:</b>	Indicates the rate at which the process is writing data to file, network and device I/O operations.	Kbytes/Sec	
<b>Page fault rate:</b>	Indicates the total rate at which page faults are occurring for the threads of all matching processes.	Faults/Sec	A page fault occurs when a thread refers to a virtual memory page that is not in its working set in main memory. This may not cause the page to be fetched from disk if it is on the standby list and hence already in main memory, or if it is in use by another process with whom the page is shared.
<b>Memory working set:</b>	Indicates the current size of MB the working set of a process.		The Working Set is the set of memory pages touched recently by the threads in the process. If free memory in the computer is above a threshold, pages are left in the Working Set of a process even if they are not in use. When free memory falls below a threshold, pages are trimmed from Working Sets. If they are needed they will then be soft-faulted back into the

Measurement	Description	Measurement Unit	Interpretation
			<p>Working Set before leaving main memory.</p> <p>The detailed diagnosis for this test provides details of the individual process instances and their individual working sets.</p> <p>Comparing the working set across process instances indicates which instances taking up excessive memory.</p>

## 3.2 The Microsoft SQL Server Layer

The tests associated with this layer monitor the health of the SQL server engine and the number and type of system processes executing on the Microsoft SQL server. In addition, the test also reports the count of blocker processes executing on the Microsoft SQL server. These tests are been discussed in the *Monitoring Microsoft SQL* document.




Figure 3.3: The Microsoft SQL Server layer

### 3.3 The Microsoft SQL Memory Structures Layer

This layer tracks the health of the memory and buffer structures of an Microsoft SQL server. The details of the tests are available *Monitoring Microsoft SQL* document.




Figure 3.4: The tests mapped to the Microsoft SQL Memory Structures layer

## 3.4 The Microsoft SQL Databases Layer

The space usage on the Microsoft SQL server databases and the transaction log space usage can be tracked using the tests associated with this layer. These tests have been discussed in the *Monitoring Microsoft SQL Server* document.




Figure 3.5: The tests mapped to the Microsoft SQL Databases layer

## 3.5 The Microsoft SQL Service Layer

Figure 3.6 depicts the tests associated with this layer.




Figure 3.6: The tests associated with the Microsoft SQL Service layer

The **SQL Sessions** and **SQL Long Running Queries** tests have been discussed in the *Monitoring Microsoft SQL* document. Therefore, the sub-sections that follow will elaborate on the cluster-specific tests mapped to this layer only.

### 3.5.1 SQL Cluster Connection Test

This test emulates a user executing a query on the cluster, and in the process, captures the availability of the cluster service and the responsiveness of the cluster.

**Target of the test :** A Microsoft SQL Cluster

**Agent deploying the test :** An external agent; if you are running this test using the external agent on the eG manager box, then make sure that this external agent is able to communicate with the port on which the virtual cluster server is listening. Alternatively, you can deploy the external agent that will be running this test on a host that can access the port on which the virtual cluster server is listening.

**Outputs of the test :** One set of results for the cluster being monitored

#### Configurable parameters for the test

1. **TEST PERIOD** – How often should the test be executed
2. **HOST** – The IP address of the SQL cluster
3. **PORT** – The port on which the cluster is listening
4. **USER** – A database user name.
5. **PASSWORD** - The password associated with the above user name (can be 'NULL'). Here, 'NULL' means that the user does not have any password.

6. **CONFIRM PASSWORD** – Confirm the **PASSWORD** (if any) by retyping it here.
7. **DATABASE** - The name of the database to connect to. The default is “master”.
8. **QUERY** – The select query to execute. The default is “select \* from master.dbo.spt\_monitor”.
9. **CASE** – Takes the value “upper” or “lower” depending upon the case-sensitivity of the SQL server installation.
10. **INSTANCE** – The name of a specific Microsoft SQL instance to be monitored. The default value of this parameter is “default”. To monitor an Microsoft SQL instance named “CFS”, enter this as the value of the **INSTANCE** parameter.
11. **DOMAIN** - By default, *none* is displayed in the **DOMAIN** text box. If the ‘SQL server and Windows’ authentication has been enabled for the server being monitored, then the **DOMAIN** can continue to be *none*. On the other hand, if ‘Windows only’ authentication has been enabled, then, in the **DOMAIN** text box, specify the Windows domain in which the managed Microsoft SQL server exists. Also, in such a case, the **USER** name and **PASSWORD** that you provide should be that of a user authorized to access the monitored SQL server.
12. **SSL** - If the Microsoft SQL server being monitored is an SSL-enabled server, then set the **SSL** flag to **Yes**. If not, then set the **SSL** flag to **No**.

#### Measurements made by the test

Measurement	Description	Measurement Unit	Interpretation
<b>SQL availability:</b>	Indicates the availability of the cluster service	Percent	<p>The availability is 100% when the cluster is able to respond to a request. This can happen if any one server in the cluster is currently ‘active’ and is responding to client requests.</p> <p>This measure will report the value 0, if the cluster service is not up and running. Such an eventuality can be caused by the non-availability of active nodes in the cluster to handle the emulated query.</p>
<b>SQL response time:</b>	Indicates the time taken by the cluster to respond to a user query	Seconds	A sudden increase in response time is indicative of a bottleneck in query processing on the ‘active’ server of the cluster.
<b>Database connection</b>	Indicates whether the database connection is	Percent	If this measure reports the value 100 , it

Measurement	Description	Measurement Unit	Interpretation
<b>availability:</b>	available or not.		indicates that the database connection is available. The value 0 on the other hand indicates that the database connection is unavailable. A connection to the database may be unavailable if the database is down or if the database is listening on a port other than the one configured for it in the eG manager or owing to a poor network link. If the SQL availability measure reports the value 0, then, you can check the value of this measure to determine whether/not it is due to the unavailability of a connection to the server.
<b>Query processor availability:</b>	Indicates whether the database query is executed successfully or not.	Percent	If this measure reports the value 100, it indicates that the query executed successfully. The value 0 on the other hand indicates that the query failed. In the event that the SQL availability measure reports the value 0, check the value of this measure to figure out whether the failed query is the reason why that measure reported a server unavailability.
<b>Database connection time:</b>	Indicates the time taken by the database connection.	Secs	A high value could indicate a connection bottleneck. Whenever the SQL response time of the measure soars, you may want to check the value of this measure to determine whether a connection latency is causing the poor responsiveness of the cluster.
<b>Query execution time:</b>	Indicates the time taken for query execution.	Secs	A high value could indicate that one/more queries to the cluster are taking too long to execute. Inefficient/badly designed queries often run for long periods. If the value of this measure is higher than that of the

Measurement	Description	Measurement Unit	Interpretation
			Connection time measure, you can be rest assured that long running queries are the ones causing the responsiveness of the cluster to suffer.
<b>Records fetched:</b>	Indicates the number of records fetched from the database.	Number	The value 0 indicates that no records are fetched from the database.

### 3.5.2 SQL Cluster Status Test

This test reports the current status (whether running or not) and uptime of the cluster service. This way, administrators can quickly find out if the cluster service was restarted recently. In addition, the test also indicates whether/not fail-over occurred recently. The IP address of the 'active' server in the cluster is also revealed as part of detailed diagnosis.

**Note:**

This test will report metrics only on Microsoft SQL Server 2008 (and above).

**Target of the test :** A Microsoft SQL Cluster

**Agent deploying the test :** An internal/remote agent

**Outputs of the test :** One set of results for the cluster being monitored

**Configurable parameters for the test**

1. **TEST PERIOD** - How often should the test be executed
2. **HOST** - The host for which the test is to be configured.
3. **SSL** – If the Microsoft SQL server being monitored is an SSL-enabled server, then set the **SSL** flag to **Yes**. If not, then set the **SSL** flag to **No**.
4. **INSTANCE** - In this text box, enter the name of a specific Microsoft SQL instance that is to be monitored. The default value of this parameter is “default”. To monitor an Microsoft SQL instance named “CFS”, enter this as the value of the **INSTANCE** parameter.
5. **USER** – Provide the name of a SQL user with the **VIEW SERVER STATE** role.
6. **PASSWORD** - The password of the specified **USER**.
7. **CONFIRM PASSWORD** - Confirm the password by retyping it
8. **DOMAIN** - By default, *none* is displayed in the **DOMAIN** text box. If the ‘SQL server and Windows’ authentication has been enabled for the server being monitored, then the **DOMAIN** can continue to be

*none*. On the other hand, if ‘Windows only’ authentication has been enabled, then, in the **DOMAIN** text box, specify the Windows domain in which the managed Microsoft SQL server exists. Also, in such a case, the **USER** name and **PASSWORD** that you provide should be that of a user authorized to access the monitored SQL server.

9. **ISNTLMV2** - In some Windows networks, NTLM (NT LAN Manager) may be enabled. NTLM is a suite of Microsoft security protocols that provides authentication, integrity, and confidentiality to users. NTLM version 2 (“NTLMv2”) was concocted to address the security issues present in NTLM. By default, the **ISNTLMV2** flag is set to **No**, indicating that NTLMv2 is not enabled by default on the target Microsoft SQL host. Set this flag to **Yes** if NTLMv2 is enabled on the target host.
10. **ISPASSIVE** – If the value chosen is **YES**, then the Microsoft SQL server under consideration is a passive server in a SQL cluster. No alerts will be generated if the server is not running. Measures will be reported as “Not applicable” by the agent if the server is not up.
11. **REPORTMANAGERTIME** – By default, this flag is set to **Yes**, indicating that, by default, the detailed diagnosis of this test, if enabled, will report the shutdown and reboot times of the device in the manager’s time zone. If this flag is set to **No**, then the shutdown and reboot times are shown in the time zone of the system where the agent is running (i.e., the system being managed for agent-based monitoring, and the system on which the remote agent is running - for agentless monitoring).
12. **DETAILED DIAGNOSIS** – To make diagnosis more efficient and accurate, the eG Enterprise suite embeds an optional detailed diagnostic capability. With this capability, the eG agents can be configured to run detailed, more elaborate tests as and when specific problems are detected. To enable the detailed diagnosis capability of this test for a particular server, choose the **On** option. To disable the capability, click on the **Off** option.

The option to selectively enable/disable the detailed diagnosis capability will be available only if the following conditions are fulfilled:

- The eG manager license should allow the detailed diagnosis capability
- Both the normal and abnormal frequencies configured for the detailed diagnosis measures should not be 0.


#### Measurements made by the test

Measurement	Description	Measurement Unit	Interpretation						
<b>Is cluster running ?:</b>	Indicates whether/not the cluster is currently running.		<p>The values that this measure can report and their corresponding numeric values are listed in the table below:</p> <table border="1"> <thead> <tr> <th>Measure Value</th><th>Numeric Value</th></tr> </thead> <tbody> <tr> <td>Yes</td><td>1</td></tr> <tr> <td>No</td><td>0</td></tr> </tbody> </table>	Measure Value	Numeric Value	Yes	1	No	0
Measure Value	Numeric Value								
Yes	1								
No	0								

Measurement	Description	Measurement Unit	Interpretation						
			<p><b>Note:</b></p> <p>By default, the test reports the <b>Measure Values</b> in the table above to indicate whether/not the cluster is running currently. In the graph of this measure however, the same is represented using the numeric equivalents only.</p> <p>The detailed diagnosis of the Is cluster running? measure reveals the IP address of the currently 'active' node in the cluster and the date/time at which the active node was last started.</p>						
<b>Has SQL cluster switched?:</b>	Indicates whether/not fail-over occurred in the last measurement period.		<p>The values that this measure can report and their corresponding numeric values are listed in the table below:</p> <table border="1" data-bbox="1008 988 1383 1142"> <thead> <tr> <th data-bbox="1016 988 1155 1058">Measure Value</th><th data-bbox="1155 988 1383 1058">Numeric Value</th></tr> </thead> <tbody> <tr> <td data-bbox="1016 1058 1155 1100">Yes</td><td data-bbox="1155 1058 1383 1100">1</td></tr> <tr> <td data-bbox="1016 1100 1155 1142">No</td><td data-bbox="1155 1100 1383 1142">0</td></tr> </tbody> </table> <p><b>Note:</b></p> <p>By default, the test reports the <b>Measure Values</b> in the table above to indicate whether/not fail-over occurred. In the graph of this measure however, the same is represented using the numeric equivalents only.</p>	Measure Value	Numeric Value	Yes	1	No	0
Measure Value	Numeric Value								
Yes	1								
No	0								
<b>Uptime of the SQL cluster:</b>	Indicates the total time the SQL cluster has been up since its last reboot.	Secs	Administrators may wish to be alerted if a cluster has been running without a reboot for a very long period. Setting a threshold for this metric allows administrators to determine such conditions.						
<b>SQL cluster uptime since last measure:</b>	Indicates how long the SQL cluster has been up since the last measurement	Secs	If the cluster has not been rebooted during the last measurement period and						

Measurement	Description	Measurement Unit	Interpretation						
	period.		the agent has been running continuously, this value will be equal to the measurement period. If the cluster was rebooted during the last measurement period, this value will be less than the measurement period of the test. For example, if the measurement period is 300 secs, and if the cluster was rebooted 120 secs back, this metric will report a value of 120 seconds. The accuracy of this metric is dependent on the measurement period – the smaller the measurement period, greater the accuracy.						
<b>Has the SQL cluster been restarted?:</b>	Indicates whether the SQL cluster server has been rebooted during the last measurement period or not.		<p>The values that this measure can report and their corresponding numeric values are listed in the table below:</p> <table border="1" data-bbox="1008 1036 1383 1195"> <thead> <tr> <th data-bbox="1016 1036 1139 1110">Measure Value</th><th data-bbox="1139 1036 1383 1110">Numeric Value</th></tr> </thead> <tbody> <tr> <td data-bbox="1016 1110 1139 1153">Yes</td><td data-bbox="1139 1110 1383 1153">1</td></tr> <tr> <td data-bbox="1016 1153 1139 1195">No</td><td data-bbox="1139 1153 1383 1195">0</td></tr> </tbody> </table> <p><b>Note:</b></p> <p>By default, the test reports the <b>Measure Values</b> in the table above to indicate whether/not the cluster was restarted in the last measure period. In the graph of this measure however, the same is represented using the numeric equivalents only.</p>	Measure Value	Numeric Value	Yes	1	No	0
Measure Value	Numeric Value								
Yes	1								
No	0								

The detailed diagnosis of the *Is cluster running?* measure reveals the IP address of the currently 'active' node in the cluster and the date/time at which the active node was last started.



The screenshot shows a web-based monitoring interface for a Microsoft SQL Cluster Server. The top navigation bar includes links for 'Detailed Diagnosis', 'Measure Graph', 'Summary Graph', 'Trend Graph', 'Fix History', and 'Fix Feedback', along with several icons for search, print, and help.

The main content area is titled 'Detailed Diagnosis' and displays the following information:

Component	Measured By	Test	Measurement	Timeline
Sql_Cluster_Enhancement:1435	Sql_Cluster_Enhancement	SQL Cluster Status	Is cluster running?	Latest

Below this, a section titled 'Details of active node' shows the following data:

CURRENTNODE	STARTTIME
Feb 18, 2015 17:41:40	28/01/2015 23:12:05
CLUSTER-2	

Figure 3.7: The detailed diagnosis of the Is cluster running? measure of the SQL Cluster Status test

# Conclusion

This document has described in detail the monitoring paradigm used and the measurement capabilities of the eG Enterprise suite of products with respect to **Microsoft SQL Cluster** Server. For details of how to administer and use the eG Enterprise suite of products, refer to the user manuals.

We will be adding new measurement capabilities into the future versions of the eG Enterprise suite. If you can identify new capabilities that you would like us to incorporate in the eG Enterprise suite of products, please contact [support@eginnovations.com](mailto:support@eginnovations.com). We look forward to your support and cooperation. Any feedback regarding this manual or any other aspects of the eG Enterprise suite can be forwarded to [feedback@eginnovations.com](mailto:feedback@eginnovations.com).